

Engineering Support Solutions
(UK) LIMITED

The logo for Darcy Spillcare, featuring the word "darcy" in a bold, lowercase, sans-serif font, with "spillcare" in a smaller, lowercase, sans-serif font below it. Above the "y" in "darcy" is a stylized graphic of three arrows pointing downwards. Below "spillcare" is the phrase "working in partnership" in a smaller, lowercase, sans-serif font.

Spill Control & Clean Up



Absorbents

Drizit® Oil Pads & Rolls



Manufactured from highly absorbent meltblown polypropylene. The high loft and open sided nature of the material provides for rapid capillary action and excellent absorbent capacity and retention. Being hydrophobic they repel water.

CODE	TYPE	SIZE	ABSORBENCY (L)	QTY
PDB17MB200BG	Pads	40 x 52 cm	150 - 200	200
MRB17MB001BG	Mini roll	0.5 x 42 m	75 - 100	1
LRB17MB001BG	Roll	1 x 42 m	150 - 200	1

Drizit® Oil Anti Static Pads & Rolls



For reduced lint and added strength select our anti static absorbent range, where the meltblown fibres are ultrasonically bonded creating a dimpled surface. Use where flammable vapours are present to safely dissipate static electricity.

CODE	TYPE	SIZE	ABSORBENCY (L)	QTY
PDA24MD100BG	Pads	40 x 50 cm	83 - 111	100
MRA24MD001BG	Mini roll	0.5 x 45 m	93 - 124	1
LRA24MD001BG	Roll	1 x 45 m	187 - 249	1

Drizit® Granules



Our Drizit® absorbent granules are ideal for all industrial situations and performs particularly well on oils and greases. Medium bulk density and not dusty. Good resistance to traffic. Ideal for rough surfaces and outdoor use.

CODE	BAG VOL (L)	BAG WEIGHT (KG)	ABSORBENCY (L)	QTY
0399	15	13	8 - 13	1


Safe Soak Granules



Safesoak granules are a non-flammable treated sawdust. A cost effective granule that is up to three times more absorbent than clay granules. Environmentally acceptable by-product material.

CODE	BAG VOL (L)	BAG WEIGHT (KG)	ABSORBENCY (L)	QTY
0397/SS	30	7	12 - 19	1

Drizit® Active Pads & Rolls



Manufactured from a base of 100% meltblown polypropylene. The meltblown fibres are then ultrasonically bonded creating a dimpled surface, to reduce linting and improve tensile strength. Available in chemical or maintenance.

Pads

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
PDY17MD200BG	Chemical	40 x 52	66 - 131	200
PDG17MD200BG	Maintenance	40 x 52	66 - 131	200

Mini Rolls

CODE	TYPE	SIZE (M)	ABSORBENCY (L)	QTY
MRY17MD001BG	Chemical	0.5 x 42	33 - 66	1
MRG17MD001BG	Maintenance	0.5 x 42	33 - 66	1

Rolls

CODE	TYPE	SIZE (M)	ABSORBENCY (L)	QTY
LRY17MD001BG	Chemical	1 x 42	66 - 131	1
LRG17MD001BG	Maintenance	1 x 42	66 - 131	1

Drizit® Extreme Pads & Rolls



Manufactured from a base of highly absorbent meltblown polypropylene. The meltblown fibres are then ultrasonically bonded and laminated with a spunbond layer on one side to provide enhanced tensile strength and tear resistance. Available in oil, chemical or maintenance.

Pads

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
PDW24SL100BG	Oil	40 x 50	88 - 117	100
PDY24SL100BG	Chemical	40 x 50	43 - 86	100
PDG24SL100BG	Maintenance	40 x 50	43 - 86	100

Mini Rolls

CODE	TYPE	SIZE (M)	ABSORBENCY (L)	QTY
MRW24SL001BG	Oil	0.5 x 40	88 - 117	1
MRY24SL001BG	Chemical	0.5 x 40	43 - 86	1
MRG24SL001BG	Maintenance	0.5 x 40	43 - 86	1

Rolls

CODE	TYPE	SIZE (M)	ABSORBENCY (L)	QTY
LRW24SL001BG	Oil	1 x 40	178 - 233	1
LRY24SL001BG	Chemical	1 x 40	86 - 173	1
LRG24SL001BG	Maintenance	1 x 40	86 - 173	1

Drizit® Mini Cushions



Our absorbent mini cushions have a durable cover and are suitable for large quantity spills due to their high capacity absorbency and retention of liquids. Ideal for use on major spills and under machinery.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0111/20	Oil	33 x 21 x 6	85 - 94	20
0211/20	Chemical	33 x 21 x 6	50 - 90	20
0311/20	Maintenance	33 x 21 x 6	50 - 90	20

Drizit® Socks



Our absorbent socks are manufactured from high capacity absorbent which is ideal for diverting or “pooling” liquid spills. Can provide temporary bunding around drums and IBC’s.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0130/125/10	Oil	7.5 dia x 125	35 - 40	10
0230/125/10	Chemical	7.5 dia x 125	25 - 36	10
0330/125/10	Maintenance	7.5 dia x 125	25 - 36	10

Drizit® Super Absorbent Cushions



Very fast absorption rate for rapid pick up of larger spills. Ideal for placing under dripping machinery. Absorbs high volumes of liquid without retention issues.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0311/S/10	Maintenance	30 x 35 x 8	70	10
0311/S/20	Maintenance	30 x 35 x 8	140	20

Drizit® Super Absorbent Flat Socks



Filled with super absorbent to absorb and retain aqueous based spills. Printed with “slip hazard warning” logo. Wide surface contact area, increased wicking and saturation. Swells to over 7.5cm high.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0330/AS/120/20	Maintenance	7.6 dia x 120	80	20

Drizit® Cushions



Our absorbent cushions have a durable cover and are suitable for large quantity spills due to their high capacity absorbency and retention of liquids. Ideal for use on major spills and under machinery.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0110	Oil	55 x 35 x 10	135 - 150	10
0210	Chemical	55 x 35 x 10	70 - 100	10
0310	Maintenance	55 x 35 x 10	70 - 100	10

Drizit® Netted Booms



A lightweight highly absorbent boom with very open mesh for fast absorbing action. UV stabilised netting and a ring and carbine hook system to join booms together quickly. Use where heavy oils need containing and absorbing.

CODE	TYPE	SIZE	ABSORBENCY (L)	QTY
0105/net/3	Oil	12.5cm dia x 3m	120 - 130	4
0112/net/1.5	Oil	20cm dia x 1.5m	157 - 172	4
0112/net/3	Oil	20cm dia x 3m	314 - 344	4

Oil & Sediment Filter



A robust, multiple use filter, which retains oil and sediment during pumping activities. Hydrocarbon detection strip identifies oil pollution.

CODE	SEDIMENT RETAINED	OIL RETAINED	QTY
0119/OSFS	Up to 20kg	Up to 2.5L	1

Drizit® Super Absorbent Socks



Highly flexible, ideal to follow difficult machinery contours. Provide temporary bunding around drums and IBC’s. Ideal for diverting or “pooling” spills.

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0330/S/120/10	Maintenance	7.5 dia x 120	55	10

We quote minimum absorbencies based on laboratory tests carried out using SAE10W40 in line the British Standard Test Method BS7959-1:2004 (30 second drainage time, at 20°C) and maximum absorbencies with no drainage.

Spill Kits

Drizit® Spill Kit 15



Contents

- 10 Pads
- 2 Socks (125cm)
- 1 Disposal bag and tie

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/MSK15	Oil	50 x 12 x 50	15 - 17	1
0270/MSK15	Chemical	50 x 12 x 50	10 - 15	1
0370/MSK15	Maintenance	50 x 12 x 50	10 - 15	1

Drizit® Spill Kit 50



Contents

- 25 pads
- 4 socks (125cm)
- 1 cushion
- 1 Dammit® slab
- 1 pair gloves and goggles
- 1 disposal bag and tie

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0171	Oil	50 x 18 x 50	46 - 56	1
0271	Chemical	50 x 18 x 50	28 - 44	1
0371	Maintenance	50 x 18 x 50	28 - 44	1

Drizit® Spill Kit 120



Contents

- 50 pads
- 5 socks (125cm)
- 2 socks (300cm)
- 3 cushions
- 4 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/SK120	Oil	48 x 55 x 93	112 - 134	1
0270/SK120	Chemical	48 x 55 x 93	68 - 104	1
0370/SK120	Maintenance	48 x 55 x 93	68 - 104	1

Drizit® Spill Kit 130



Contents

- 75 pads
- 10 socks (125cm)
- 2 socks (300cm)
- 3 cushions
- 1 Dammit® tub (800g)
- 1 pair gloves and goggles
- 4 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/kit130	Oil	85 x 50 x 75	126 - 179	1
0270/kit130	Chemical	85 x 50 x 75	82 - 142	1
0370/kit130	Maintenance	85 x 50 x 75	82 - 142	1

Drizit® Spill Kit 240



Contents

- 150 pads
- 5 socks (125cm)
- 1 sock (300cm)
- 2 cushions
- 1 Dammit® tub 800g
- 1 Dammit® mat
- 1 personal safety kit
- 3 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0174/7	Oil	58 x 74 x 110	165 - 210	1
0274/7	Chemical	58 x 74 x 110	100 - 166	1
0374/7	Maintenance	58 x 74 x 110	100 - 166	1

Drizit® Drum Spill Kit



Contents

- 100 pads
- 10 socks (125cm)
- 5 socks (300cm)
- 5 cushions
- 1 Dammit® tub and mat
- 1 personal safety kit
- 2 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/DSK	Oil	82 dia x 105	220 - 263	1
0270/DSK	Chemical	82 dia x 105	138 - 207	1
0370/DSK	Maintenance	82 dia x 105	138 - 207	1

Drizit® Spill Kit 300



Contents

- 150 pads
- 6 socks (125cm)
- 4 socks (300cm)
- 4 cushions
- 1 boom (300cm)
- 1 Dammit® tub (800g)
- 1 pair gloves and goggles
- 10 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/kit300	Oil	104 x 75 x 74	251 - 305	1
0270/kit300	Chemical	104 x 75 x 74	156 - 237	1
0370/kit300	Maintenance	104 x 75 x 74	156 - 237	1

Drizit® Spill Kit 400



Contents

- 200 pads
- 1 mini roll
- 10 socks (125cm)
- 5 socks (300cm)
- 10 cushions
- 1 Dammit® tub (800g)
- 1 Dammit® mat
- 1 personal safety kit
- 3 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/kit400	Oil	120 x 60 x 79	371 - 538	1
0270/kit400	Chemical	120 x 60 x 79	225 - 417	1
0370/kit400	Maintenance	120 x 60 x 79	225 - 417	1

Drizit® Spill Kit 660



Contents

- 100 pads
- 12 socks (125cm)
- 12 cushions
- 2 booms (400cm)
- 2 wooden stakes
- 4kg loose absorbent
- 1 Dammit® tub (800g)
- 1 Dammit® mat
- 1 personal safety kit
- 12 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0174/9	Oil	127 x 78 x 125	557 - 658	1
0274/9	Chemical	127 x 78 x 125	301 - 482	1
0374/9	Maintenance	127 x 78 x 125	301 - 482	1

Drizit® Anti Static Spill Kit 50



Contents

- 25 pads
- 4 socks (125cm)
- 1 cushion
- 2 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/AS/SK50	Anti Static Oil	54 x 14 x 48	45 - 54	1

Drizit® Anti Static Spill Kit 240



Contents

- 120 pads
- 10 socks (125cm)
- 10 cushions
- 10 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/AS/SK240	Anti Static Oil	58 x 74 x 110	253 - 301	1

Drizit® Anti Static Spill Kit 660



Contents

- 200 pads
- 50 socks (125cm)
- 10 pillows
- 8 netted booms (300cm)
- 30 disposal bags and ties

CODE	TYPE	SIZE (CM)	ABSORBENCY (L)	QTY
0170/AS/SK660	Anti Static Oil	127 x 78 x 125	688 - 795	1

Spill Containment

EnviroPad



A lightweight and durable pad that retains hydrocarbons within a polymer membrane while allowing surface water to drain away. Simply roll away for easy storage after use.

CODE	SIZE (CM)	ABSORBENCY (L)	QTY
0411/PSP/1	61 x 46	Up to 4.5	1
0411/PSP/2	90 x 69	Up to 10.5	1
0411/PSP/3	218 x 137	Up to 44	1

Can & Lab Trays



For use with 25 litre drums or smaller. Ideal for work station areas where small quantities for dosing need to be kept safe.

CODE	SIZE (CM)	SUMP CAPACITY (L)	QTY
1840/CAN20	60 x 40 x 15.5	20	1
1840/CAN30	80.5 x 40.5 x 15.5	30	1
1840/CAN40	80 x 60 x 15.5	40	1
1840/CAN60	100 x 60 x 17.5	60	1
1840/CAN100	120 x 80 x 17.5	100	1

Drum Sump Pallets



Rotationally moulded polyethylene sump pallets resist UV rays, corrosion and chemicals. Lightweight with removable plastic mesh floors for easy cleaning. Large sump capacities catches leaks, drips and spills preventing spread.

CODE	205L DRUMS	SIZE (CM)	SUMP CAPACITY (L)	QTY
1840/NPP2	2	130 x 75 x 44	250	1
1840/NPP4L	4	138 x 129 x 28	250	1

Sump Pallet Covers



Prevent rainwater filling up the sump bund and maintain capacity of the sump for its required purpose. Our rain covers for sump pallets are available in PVC.

CODE	USE WITH	SIZE (CM)	QTY
1840/COV/PP2/PVC/CE	1840/NPP2	131 x 76 x 100	1
1840/COV/PP4/PVC/CE	1840/NPP4L	139 x 130 x 110	1
1840/COV/IBC/PVC/CE	1840/NPIBC	146 x 146 x 150	1
1840/COV/IBC2/PVC/CE	1840/NPIBC2	246 x 146 x 120	1

Dammit® Leak Sealing Putty



Ready to use and specifically developed for the emergency sealing of leaks from holes, tears and ruptures. Stops liquids including chemicals and oils leaking out of the drum.

CODE	POT WEIGHT (G)	POT SIZE (CM)	QTY
4037/X	500	11.7 dia x 7.2	18
4040/X	800	11.7 dia x 11.6	12

Sump Flooring



Polyethylene low profile sump flooring. Create your own work stations or storage areas to prevent hazardous liquids spilling onto the floor. Removable plastic mesh floors have 1,000 kg U.D.L. and give quick access to the sump for easy cleaning.

CODE	205L DRUMS	SIZE (CM)	SUMP CAPACITY (L)	QTY
1840/PSF2	2	160 x 80 x 15	112	1
1840/PSF4	4	160 x 160 x 15	232	1

IBC Sump Pallets



IBC containment systems are constructed from 100% polyethylene are corrosion resistant and do not rust or corrode. They have a very broadband chemical compatibility. Black plastic pallet and removable grid.

CODE	IBC CAPACITY	SIZE (CM)	SUMP CAPACITY (L)	QTY
1840/NPIBC	1	145 x 145 x 100	1120	1
1840/NPIBC2	2	245 x 145 x 57.5	1130	1

Covered Drum Sump Pallets



Covered 2 and 4 Drum Sump Pallet System. Suitable for storing drums inside or outside. Covered, lockable double walled, chemical resistant and weather proof storage unit.

CODE	205L DRUMS	SIZE (CM)	SUMP CAPACITY (L)	QTY
1840/SS/2	2	156.5 x 99.5 x 211	250	1
1840/SS/4	4	156.5 x 162 x 211	485	1
1840/SS/4L	4	156.5 x 162 x 211	250	1

Liquid Storage

Tribund Tank



Tribund is a rapid use, multi purpose secondary containment bunding system that catches oil, fuel, chemicals spills and contaminated water preventing spread of pollutants.

Cost effective and extremely portable, just unroll and use, with no need for additional supports. Manufactured from hydrocarbon, chemical and UV resistant PVC coated fabric that is hard wearing and maintenance free and easily cleaned.

CODE	SIZE (CM)	CAPACITY (L)	QTY
0416/00500	100 x 240 x 30	500	1
0416/00750	150 x 240 x 30	750	1
0416/01000	200 x 240 x 30	1000	1
0416/02000	240 x 420 x 30	2000	1
0416/04000	240 x 840 x 30	4000	1
0416/06400	400 x 800 x 30	6400	1

Drain Mats

Drainseal



Mechanical, multi-use, reusable seal that securely clamps onto the drain giving maximum protection. The clamping system ensures the seal on the drain will not lift, even with back-pressure.

CODE	SIZE (CM)	QTY
0830/3	40 x 40	1
0830/2	50 x 50	1
0830/1	60 x 50	1

Envirovalve Portable Drain Valve



Easy to assemble lance and bladder grip, aids quick deployment with retaining rope to recover and reuse bladder. The lance allows insertion into deep manholes without confined spaces equipment.

CODE	BLADDER SIZE (CM)	QTY
4400/FB	37.5	1

Drive In Tribund Tank



The Drive in Tribund contains additional support and guidance for vehicle tyres making it ideal for loading and unloading of goods from vehicles.

CODE	SIZE (CM)	CAPACITY (L)	QTY
0416/DIT/01920	310 x 310 x 30	1920	1
0416/DIT/03000	300 x 500 x 30	3000	1
0416/DIT/04550	350 x 650 x 30	4550	1
0416/DIT/06200	270 x 1160 x 30	6200	1
0416/DIT/09000	300 x 1500 x 30	9000	1

Pop Up Tank



Pop up tanks are designed so that they self-erect on filling with liquid, stability is maintained via a stiffened top collar with a foam insert.

CODE	CAPACITY (L)	QTY
0412/080	80	1
0412/250	250	1

Dammit® Mats



These disposable, reinforced, clay mats prevent spilt oils and chemicals flowing through storm drains into controlled waters. Resists most oils and chemicals for up to 24 hours.

CODE	SIZE (CM)	QTY
4000/X	65 x 45	2
4010/X	45 x 45	2
4020/X	22.5 x 20	12
4030/X	65 x 15	6

Stoppit Drain Mats



A simple, reusable drain mat. The durable polyethylene top is flexible and resistant to abrasions, whilst the underside is sticky to tightly seal the drain.

CODE	SIZE (CM)	QTY
4610/060/L	60 x 60 x 0.8	1
4610/090/L	90 x 90 x 0.8	1
4610/120/L	120 x 120 x 0.8	1



Engineering Support Solutions UK Ltd

803 Oxford Avenue, Slough, SL1 4LN

www.engineeringsupportsolutions.co.uk